



How to Repair a Hole in Cotton Winter Gloves by Hand-Sewing

This guide will show you how to repair a hole in winter gloves.

Written By: Jessie Li



INTRODUCTION

Do you have a hole in your winter gloves?

Then this will be a great guide to follow. This guide will teach you how to fix your gloves with a needle and thread by hand sewing.

Follow the instructions below to restore your winter gloves.



TOOLS:

- [Sewing Scissors](#) (1)
 - [Hand Sewing Needle](#) (1)
 - [Sewing Thread](#) (1)
-

Step 1 — Cotton Winter Gloves



- Find the hole in your glove.

Step 2




- Using sewing scissors, cut away any loose thread or frayed sections.
- ⓘ Removing loose thread or frayed sections will help the sewing process be easier.

Step 3




- Turn the glove inside out.
- ⓘ When the glove is turned inside out, it will ensure that the stitching from the repair won't be seen on the outside.

Step 4




- Cut about 24 inches of thread with a color that matches your gloves.



Step 5



- Hold the needle with your thumb and index finger.
- Insert one end of the thread into the eye of the needle.
- Pull the thread through the needle about halfway.

 Working with sewing needles can potentially result in a minor injury.

Step 6



- Find both ends of the thread.
- Line the ends of the thread together.
- Create a knot at the end of the thread.

Step 7



- Using your dominant hand, insert the needle as close to the edge of the hole as possible.
- Pull the needle and all of the thread through the glove.

Step 8



- Thread the needle to the other side of the glove to create a straight stitch.
- Repeat steps 7 and 8 until you reach the other end of the hole.

[!\[\]\(faf942dc3e59ce8eb64b4ac481eca7e0_img.jpg\) How to Sew a Straight Stitch](#)

Step 9




- Insert 3/4 of the needle into the glove.

Step 10



- Wrap the thread around the needle 3 times.

Step 11



- Pull the needle and thread through to make a knot.

Step 12



- Cut the excess thread off.

Step 13



- Turn the glove around and wear the glove!

To reassemble your device, follow these instructions in reverse order.