




Snapfon ez One SIM Card Replacement

This guide will help the user access/remove the SIM card.

Written By: John Bender



INTRODUCTION

The SIM card is a removable storage component inside of the phone. The card stores phone numbers and other important information to the user.



TOOLS:


- [iFixit Opening Tools](#) (1)
 - [Tweezers](#) (1)
-

Step 1 — Remove the battery cover




- Turn off the phone to prevent data loss.
- Press and slide the battery out to remove it.
- ⓘ Picture rights belong to Snapfon®. Picture is used for educational purposes only. No copyright infringement intended.

Step 2 — Remove the battery



- Pry the battery out with your thumb or the iFixit opening tool.
- ⓘ Make sure to properly dispose of the old battery at a recycling center.
- ⓘ Picture rights belong to Snapfon®. Picture is used for educational purposes only. No copyright infringement intended.

Step 3 — SIM Card



- Use the tweezers, if needed, to grasp the SIM card for removal. Apply a slight pulling tension and remove it from under the tabs as shown.
- ⓘ Picture rights belong to Snapfon®. Picture is used for educational purposes only. No copyright infringement intended.

To reinsert the SIM card or a new SIM card, position the card in the same orientation seen in the figure with the brass connections facing the phone while using thumb to apply a slight force until the card rests inside of the recessed holder. Make sure the brass contacts of the card and phone connect. Then follow the steps in reverse order to reassemble phone.